



05-10-05

Ifw

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Stanley V. Stephenson) Attorney Docket No.: HES 2003-IP-010770U1
Serial No.: 10/670,411) Group Art Unit: 2855
Filed: 09/24/2003) Examiner: Harshad R. Patel
Title: INFERENTIAL)
DENSOMETER AND)
MASS FLOWMETER)

CERTIFICATE OF MAILING VIA EXPRESS MAIL

ATTY. DOCKET No.: HES 2003-IP-010770U1
SER. No.: 10/670,411
GROUP ART UNIT: 2855
EXAMINER: HARSHAD R. PATEL

PURSUANT TO 37 C.F.R. § 1.10, I HEREBY CERTIFY THAT I HAVE INFORMATION AND A REASONABLE BASIS FOR BELIEF THAT THIS CORRESPONDENCE WILL BE DEPOSITED WITH THE UNITED STATES POSTAL SERVICE AS EXPRESS MAIL, POST OFFICE TO ADDRESSEE, ON THE DATE INDICATED BELOW, AND IS ADDRESSED TO:

MAIL STOP RCE
HONORABLE COMMISSIONER FOR PATENTS
P. O. Box 1450
ALEXANDRIA, VA 22313-1450.

Thomas Morrow
THOMAS MORROW

May 9, 2005
DATE

EXPRESS MAIL LABEL: EV 448731518 US

Mail Stop RCE
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

**AMENDMENT AND
RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT
MAILED APRIL 15, 2005**

Dear Sir:

In response to the Notice of Non-Compliant Amendment mailed on April 15, 2005 (the "Notice"), please amend the above-identified application as follows:

- **Amendments to the Claims** are reflected in the listing of claims that begins on page 2 of this paper; and
- **Remarks/Summary** begin on page 6 of this paper.

Page 1 of 7

U.S. Pat. App. Ser. No. 10/670,411

Response to Notice of Non-Compliant Amendment Mailed 4/15/2005